Wisconsin Healthy People 2010 Local Data Package

Developed by the Bureau of Health Information and Policy in the Division of Public Health

February, 2005 Edition
Wisconsin Department of Health and Family Services


Bayfield County

Leading Health Indicators

Binge Drinking

Adults 18+ who consumed 5 or more drinks on one occasion in the past 30 days


Northern Region



Tobacco Use

Adults 18+ who currently smoke cigarettes


Northern Region



Obesity and Overweight, 2000-2001


Percent of adults 18+ obese and/or overweight based on Body Mass Index (BMI)

Northern Region




Regular and Vigorous Physical Activity

Adults 18+ who exercise 20 minutes or more at 50% of aerobic capacity,
3 or more times per week




Health Insurance Coverage

Adults 18+ with coverage entire preceding year Northern Region




Mortality Due to Coronary Heart Disease

Rates per 100,000 population, age-adjusted to year 2000 standard population Bayfield County




Mortality Due to Cerebrovascular Disease

Rates per 100,000 population, age-adjusted to year 2000 standard population Bayfield County




Mortality Due to Lung Cancer

Rates per 100,000 population, age-adjusted to year 2000 standard population Bayfield County




Mortality Due to Breast Cancer

Rates per 100,000 female population, age-adjusted to year 2000 standard population Northern Region




Cerebrovascular Disease Deaths, 1998-2002

number of deaths
Bayfield County




Lung Cancer Deaths, 1998-2002


Number of deaths Bayfield County





Breast Cancer Deaths, 1998-2002

Number of deaths Bayfield County










Environmental Factors


Hospitalizations for Asthma

Rates per 10,000 population, age-adjusted to year 2000 standard population Bayfield County



Children in Medicaid/WIC Screened for Lead

Percent of program-eligible children ever tested Bayfield County




socioeconomic Indicators

Children In Poverty

Percent of children 0-17 below poverty level, 1999


Bayfield County



Poverty: All Ages

Percent of total county population below poverty level, 1999


Bayfield County



Median Income

1999 median household income (annual)

Bayfield County




Waternal and Child-tealth

Infant Mortality


Deaths before age one per 1,000 live births

Northern Region




First-Trimester Prenatal Care, 2002

Percent of births to mothers who received early prenatal care Bayfield County



Teen Births, 1998-2002


Number of births to mothers less than 20 years of age Bayfield County



Injury and Violence

Motor Vehicle Crashes Related to Alcohol

Percent of crashes where alcohol was a factor Bayfield County



Sexually Transmitted Diseases

Sexually Transmitted Diseases

Number of chlamydia and gonorrhea cases reported, 1998-2002 Bayfield County

